

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

FIRST NAMED INVENTOR APPLICATION NO. FILING DATE ATTORNEY DOCKET NO. CONFIRMATION Ronald J. Gagnon 09/552,593 04/19/2000 9-13528-102US 4092

20988

7590

07/27/2004

OGILVY RENAULT 1981 MCGILL COLLEGE AVENUE **SUITE 1600** MONTREAL, QC H3A2Y3 **CANADA**

EXAMINER

PHILPOTT, JUSTIN M

ART UNIT PAPER NUMBER 2665

DATE MAILED: 07/27/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

	Applic	cation No.	Applicant(s)	
•		2,593	GAGNON ET AL.	
Office Action Summary	y Exam	iner	Art Unit	
	Justin	M Philpott	2665	
The MAILING DATE of this con Period for Reply	nmunication appears on	the cover sheet with	h the correspondence address	
A SHORTENED STATUTORY PERIOD THE MAILING DATE OF THIS COMI - Extensions of time may be available under the pro- after SIX (6) MONTHS from the mailing date of thi - If the period for reply specified above is less than of - If NO period for reply is specified above, the maxin - Failure to reply within the set or extended period for - Any reply received by the Office later than three meanned patent term adjustment. See 37 CFR 1.70	MUNICATION. visions of 37 CFR 1.136(a). In n s communication. hirty (30) days, a reply within the num statutory period will apply a or reply will, by statute, cause the onths after the mailing date of th	o event, however, may a rep estatutory minimum of thirty nd will expire SIX (6) MONT e application to become ABA	ply be timely filed (30) days will be considered timely. HS from the mailing date of this communication. INDONED (35 U.S.C. § 133).	
Status				
1) Responsive to communication(s) filed on 20 May 2004	4		
, ——	-			
closed in accordance with the			•	
Disposition of Claims				
4)⊠ Claim(s) <u>1-52</u> is/are pending in 4a) Of the above claim(s) 5)□ Claim(s) is/are allowed. 6)⊠ Claim(s) <u>1-52</u> is/are rejected. 7)□ Claim(s) is/are objected 8)□ Claim(s) are subject to r	_ is/are withdrawn from			
Application Papers				
9)☐ The specification is objected to	by the Examiner.			
10)☐ The drawing(s) filed on is	s/are: a) accepted o	r b) objected to b	y the Examiner.	
Applicant may not request that any	objection to the drawing	(s) be held in abeyand	e. See 37 CFR 1.85(a).	
Replacement drawing sheet(s) income 11) The oath or declaration is objection.			s) is objected to. See 37 CFR 1.121(d). Office Action or form PTO-152.	
Priority under 35 U.S.C. § 119		·		
12) Acknowledgment is made of a call a) Some * c) None 1. Certified copies of the property Certified copies of the property Copies of the certified copies of the property copies of the certified copies of the property copies of the certified copies of the certifie	of: iority documents have lority documents have lority documents have locally and the priority documents of the priority documents are presented.	been received. been received in Ap uments have been r Rule 17.2(a)).	oplication No received in this National Stage	
Attachment(s)			(070,442)	
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Rev 	iew (PTO-948)		ımmary (PTO-413) /Mail Date	
3) Information Disclosure Statement(s) (PTO-14 Paper No(s)/Mail Date			ormal Patent Application (PTO-152)	

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on May 20, 2004 has been entered.

Response to Arguments

2. Applicant's arguments filed May 20, 2004 have been fully considered but they are not persuasive.

In an attempt to overcome the prior art rejections in the previous office action, applicant has amended independent claims 1, 19, 39 and 52 to recite the additional limitation of: (1) the first and second hyper-concatenated data streams having a variable user-selected concatenation, and applicant has further amended independent claims 1, 19 and 39 to further recite the additional limitation of: (2) the user-selection is provided by the data streams comprising respective portions of an input signal.

However, while applicant has provided citations pertaining to the first limitation being included in applicant's specification as originally filed (e.g., see Remarks, pages 13-14); applicant has not provided citations pertaining to the second limitation being included in applicant's specification as originally filed. Upon review of the specification, Examiner was also

unable to find support which would indicate that the user-selection is provided by the data streams comprising respective portions of an input signal. Accordingly, applicant's claims 1, 19 and 39 and their respective dependent claims are presently rejected in the following action under 35 U.S.C. 112 for containing subject matter which was not described in the specification as originally filed.

Furthermore, the above-mentioned limitations are included in the preamble of the claims. Thus, even if all of the limitations included in the claims are supported by applicant's specification, the recitation of the above-mentioned limitations has not been given patentable weight because the recitation occurs in the preamble. A preamble is generally not accorded any patentable weight where it merely recites the purpose of a process or the intended use of a structure, and where the body of the claim does not depend on the preamble for completeness but, instead, the process steps or structural limitations are able to stand alone. See *In re Hirao*, 535 F.2d 67, 190 USPQ 15 (CCPA 1976) and *Kropa v. Robie*, 187 F.2d 150, 152, 88 USPQ 478, 481 (CCPA 1951). Accordingly, applicant's claims remain rejected for the same reasons discussed in the previous office action.

Still further, if applicant amends the claims to include the above-mentioned limitations within the body of the claim, applicant is reminded that the first limitation regarding user-selection is disclosed in the background of applicant's invention as admitted prior art (e.g., see pages 1-2). Therefore, such an amendment would result in the claims being rejected under 35 U.S.C. 103(a) as being unpatentable over the cited prior art of the present rejections in view of applicant's admitted prior art. Also, applicant is reminded that the second limitation regarding user-selection provided by data streams comprising an input signal is not supported by

applicant's specification. Therefore, such an amendment would result in the claims remaining rejected under 35 U.S.C. 112 for containing subject matter which was not described in the specification as originally filed.

Finally, applicant has amended independent claim 52 to include an additional limitation of inverse-multiplexing the high bandwidth signal across M data streams. However, such a limitation is taught by the cited prior art as discussed in the following action.

Claim Rejections - 35 USC § 112

- 3. The following is a quotation of the first paragraph of 35 U.S.C. 112:
 - The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.
- 4. Claims 1-51 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

Specifically, claims 1, 19 and 39 recite the limitations of user-selection being provided by the data streams comprising respective portions of an input signal. Applicant has not provided citations pertaining to such a limitation being included in applicant's specification as originally filed. Upon review of the specification, Examiner was also unable to find support which would indicate that the user-selection is provided by the data streams comprising respective portions of an input signal. Accordingly, applicant's claims 1, 19 and 39 and their respective dependent

claims 2-18, 20-38 and 40-51 are presently rejected in the following action under 35 U.S.C. 112

Page 5

for containing subject matter which was not described in the specification as originally filed.

Claim Rejections - 35 USC § 102

- 5. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 6. Claims 1, 2, 4, 6, 7, 16-23, 25, 27, 28, 36-43, and 52 rejected under 35 U.S.C. 102(b) as being anticipated by U.S. Patent No. 5,257,261 to Parruck et al.

Regarding claims 1, 19-22, 39-41 and 52, Parruck teaches a channel processor (e.g., 10-2 in FIG. 1a) adapted for aligning a respective first hyper-concatenated data stream (e.g., STS-3#2, also see col. 3, lines 15-23 wherein the data streams may comprise the concatenation of any number of STSn data streams) with a second hyper-concatenated data stream (e.g., STS-3#1), each data stream being conveyed within a respective parallel channel and having substantially equivalent bit and frame rates, the channel processor being connected to a respective channel for processing the respective first data stream, and comprising: a) a framer (e.g., via demultiplexer 40 in FIG. 2) adapted to detect incoming frames and generate a local strobe signal (e.g., comprising J1 byte) indicative of a timing of incoming frames of the respective first data stream (e.g., see col. 7, lines 1-21); b) a memory for buffering incoming bits of the respective first data stream (e.g., FIFOs 45 in FIG. 2, see also col. 6, lines 48-68); c) an interface adapted to receive a master strobe signal (e.g., comprising control signal and B3 parity value) from a selected adjacent channel processor (e.g., see col. 5, lines 9-21); and d) an output timer (e.g., see retiming block 18 in FIG. 1d) adapted to control a position of a read pointer for outgoing bits of the

respective first data stream based on a selected one of the local and master strobe signals (e.g., see col. 5, line 66 – col. 6, line 47).

Further, regarding claims 20-22 and 39-41, Parruck teaches a control unit adapted to: a) designate a master channel processor (e.g., 10-1, see FIGS. 1a and 1b and col. 3, lines 46-49) to operate in a free-running mode in which the timing of outgoing bits of a respective master hyperconcatenated data stream is based on the respective local strobe signal (e.g., see col. 4, lines 1-68); and b) designate a slave channel processor (e.g., 10-2, see col. 3, lines 46-49) to operate in a slave mode in which the timing of outgoing bits if a respective slave hyper-concatenated data stream is synchronized to that of the master data stream based on a master strobe signal (e.g., comprising control signals, see col. 3, lines 42-68) originating from the master channel processor. Furthermore, Parruck teaches a set of two of more adjacent slave channel processors (e.g., 10-2, 10-3) to successively propagate a strobe signal (e.g., comprising control signals) originating from the master channel processor to each one of the set of adjacent slave channel processors, whereby the timing of outgoing bits of each respective slave data stream is synchronized with that of the master data stream (e.g., see col. 3, lines 42-68).

Further, regarding claim 52, Parruck teaches inverse multiplexing the high bandwidth signal (e.g., STS-12c) across M (e.g., four) data streams (e.g., STS-3#n, wherein n equals 1 to 4, see FIG. 1a).

Regarding claim 2, Parruck further teaches that the data streams comprise an arbitrary mix of concatenated and non-concatenated SONET signals by disclosing that the signals may include, e.g., STS-3 and STS-3C (e.g., see col. 1, lines 37-43; FIG. 2 and col. 2, lines 62-63; and

Application/Control Number: 09/552,593

Art Unit: 2665

col. 9, lines 22-23 wherein Parruck discloses STS-3 is used generally to indicate the signal may be either a non-concatenated STS-3 signal or a concatenated STS-3C signal).

Regarding claims 4, 25 and 43, Parruck teaches the framer comprises: a) a detector circuit (e.g., frame counter 50) adapted to generate a detection signal (e.g., frame count) indicative of detection of a selected byte (e.g., H3 byte) of each incoming frame of the respective first data stream; and b) a strobe circuit (e.g., decision block 52) adapted to generate the local strobe signal (e.g., comprising J1 byte at multiplexer 55) with a predetermined timing relative to the detection signal (e.g., see col. 6, line 48 – col. 9, line 23).

Regarding claims 6 and 27, Parruck teaches the memory is a FIFO buffer (e.g., FIFOs 45, see FIG. 2) having a read pointer (e.g., READ#1) indicative of an address of an outgoing bit of the respective first data stream.

Regarding claims 7 and 28, Parruck teaches a storage capacity of the memory (e.g., FIFOs 45) is selected on a basis of a maximum anticipated misalignment between the first and second data streams (e.g., see col. 7, lines 47-69, wherein the FIFO accommodates up to 12 bytes of delay).

Regarding claims 16 and 36, Parruck teaches the interface comprises first and second input circuits (e.g., at rxB3 and rxSPE in FIG. 1b, coupled to demultiplexer 40 in FIG. 2) adapted to receive a master strobe signal from a respective one of the first and second adjacent channel processors.

Regarding claims 17 and 37, Parruck teaches a direction selector circuit (e.g., FIG. 2) is adapted to couple (e.g., via multiplexer 50) a selected one of the first and second input circuit to

the output timer (e.g., retimed clock output), such that a master strobe signal propagated from a direction of the selected adjacent channel processor can be used by the output timer.

Regarding claims 18 and 38, Parruck teaches the interface further comprises first and second output circuits (e.g., at txB3 and txSPE in FIG. 1b) adapted to send a selected one of the local strobe signal and the master strobe signal to a respective one of the first and second adjacent channel processors.

Regarding claims 23 and 42, Parruck teaches the first and second hyper-concatenated data streams comprise concatenated SONET signals (e.g., see col. 1, lines 63-68).

Claim Rejections - 35 USC § 103

- 7. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 8. Claims 5, 8, 9, 26, 29, 30 and 44 are rejected under 35 U.S.C. 103(a) as being unpatentable over Parruck.

Regarding claims 5, 26, and 44, Parruck teaches detecting J1 bytes of incoming SONET frames and generating a detection signal with a predetermined timing relative to the reception of the J1 byte (e.g., see col. 7, lines 1-21).

However, Parruck may not specifically disclose detecting one or more of A1 and A2 bytes of incoming SONET frames and generating the detection signal with a predetermined timing relative to reception of the A1 byte.

Parruck further teaches, however, that while a particular byte (i.e., J1 byte) is described as being used for accomplishing realignment, it will be appreciated that different bytes could be

Application/Control Number: 09/552,593

Art Unit: 2665

utilized (e.g., see col. 14, lines 51-61). Thus, at the time of the invention it would have been obvious to one of ordinary skill in the art to detect the A1 or A2 bytes instead of J1 bytes in the system of Parruck as suggested by Parruck by teaching that different bytes could be utilized to accomplish the same realignment.

Regarding claims 8, 9, 29 and 30, as discussed above regarding claims 7 and 28, Parruck teaches a storage capacity of the memory (e.g., FIFOs 45) is selected on a basis of a maximum anticipated misalignment between the first and second data streams (e.g., see col. 7, lines 47-69). Furthermore, Parruck teaches the storage capacity of the memory (e.g., twenty-nine bytes deep and ten bits wide) is selected to provide suitable processing.

However, Parruck may not specifically disclose the memory is specifically equivalent to the number of bits received during an interval of up to 250 nsec or the size of up to one-half of a data frame.

However, it is generally considered to be within the ordinary skill in the art to adjust, vary, select or optimize the numerical parameters or values of any system absent a showing of criticality in a particular recited value. The burden of showing criticality is on Appellant. In re

Mason, 87 F.2d 370, 32 USPQ 242 (CCPA 1937); Marconi Wireless Telegraph Co. v. U.S., 320

U.S. 1, 57 USPQ 471 (1943); In re Schneider, 148 F.2d 108, 65 USPQ 129 (CCPA 1945); In re

Aller, 220 F.2d 454, 105 USPQ 233 (CCPA 1955); In re Saether, 492 F.2d 849, 181 USPQ 36

(CCPA 1974); In re Antonie, 559 F.2d 618, 195 USPQ 6 (CCPA 1977); In re Boesch, 617 F.2d

272, 205 USPQ 215 (CCPA 1980). Thus, at the time of the invention it would have been obvious to one of ordinary skill in the art to arrange the storage capacity of the memory to a size of the number of bits received during an interval of up to 250 nsec or the size of up to one-half of

Application/Control Number: 09/552,593 Page 10

Art Unit: 2665

a data frame, since it is generally considered to be within the ordinary skill in the art to adjust, vary, select or optimize the numerical parameters or values of any system absent a showing of criticality in a particular recited value.

9. Claims 3 and 24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Parruck in view of U.S. Patent No. 6,160,819 to Partridge et al.

Regarding claims 3 and 24, Parruck teaches the system as discussed above regarding claims 1 and 19, however, Parruck may not specifically disclose the parallel channels comprise a wavelength of a WDM optical communications system.

Partridge teaches a method for multiplexing bytes over parallel communication links. Specifically, Partridge discloses it is well known in the art that by transmitting information in parallel the overall capacity on a SONET system can be increased (e.g., see col. 2, lines 30-32). Furthermore, Partridge discloses it is well known in the art that WDM allows for high speed transmission at a lower cost and a higher degree of reliability (e.g., see col. 2, lines 32-37). The invention of Partridge teaches a technique for aggregating multiple high speed links for delivery to other communication points utilizing WDM, wherein lower costs and higher efficiencies are achieved (e.g., see col. 3, line 13 – col. 4, line 4). Thus, at the time of the invention it would have been obvious to one of ordinary skill in the art to apply the teachings of Partridge to the system of Parruck in order to achieve lower costs and higher efficiencies.

Application/Control Number: 09/552,593 Page 11

Art Unit: 2665

Allowable Subject Matter

10. Claim 10-15, 31-35 and 45-51 would be allowable if rewritten or amended to overcome the rejection(s) under 35 U.S.C. 112, first paragraph, set forth in this Office action and if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

11. The following is a statement of reasons for the indication of allowable subject matter: claims 10, 11, 31 and 45 recite a processor/system/method as in respective claims 6, 27 and 39, and further comprise: a) phase error detection wherein a phase error is detected between the local strobe signal and the master strobe signal, and b) pointer adjustment wherein the read pointer is adjusted based on the detected phase error; claims 12-15, 32-35 and 46-51 are dependent upon claims 10, 31 and 45, respectively, and include the above as well as further limitations.

Conclusion

12. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Justin M Philpott whose telephone number is 703.305.7357. The examiner can normally be reached on M-F, 9:00am-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Huy D Vu can be reached on 703.308.6602. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 09/552,593

Art Unit: 2665

Page 12

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Justin M Philpott

ALPUS H. HSU PRIMARY EXAMINER

Alpan v. rgan